

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

**Material Safety Data Sheet**  
**Regulation (EC) No. 1907/2006, 1272/2008**  
Version No.: 2.0 Printing Date: September 1, 2025 page 1/1

\*\*\*\*\*

### MSDS REPORT

GW of Beauty  
Hurksestraat 4 5652AJ  
Eindhoven The Netherlands

**SDS Report No** : SDS202509190001  
**Compilation Date** : 01-09-2025  
**Trade Name** : NailPerfect Acrylic Liquids  
NailPerfectAcrylic Liquid 50ml  
NailPerfectAcrylic Liquid 100ml  
NailPerfectAcrylic Liquid 250ml  
NailPerfectAcrylic Liquid 1.000ml

**Composition of the Ingredients** : See section 3 on the SDS  
**Service** : Safety Data Sheet (SDS) for the requested sample.  
**Requested** : The contents and the formats of the MSDS are prepared  
**Summary** : in accordance with Regulation EC No 1907/2006,  
1272/2008 Regulation (EU) No 2015/830 and are  
provided per attached

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### **SECTION 1: Identification of the Substance/Mixture and of the Company**

#### **1.1 Product Identifier**

**Trade Name:** NailPerfect Acrylic Liquids; 50ml, 100ml, 250ml, 1.000ml

**Registration number:** Data not available

**Made in:** European Union

**1.2 Relevant identified uses of the substance or mixture and uses advised against on Application of the substance/mixture:** Nail Art, Manicure, Pedicure, Nailcare

#### **1.3 Details of the supplier of the safety data sheet**

##### **Manufacturer/Supplier:**

GW of Beauty

Hurksestraat 4

5652 AJ Eindhoven

The Netherlands

**Tel:** +31 617648788

**Email:** info@gwofbeauty.com

**Further information obtainable from:** GW of Beauty

#### **1.4 Emergency telephone number**

**EU and Russia:** 112 (Available 24 hours per day)

**UK:** 999 (Available 24 hours per day)

### **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

Classification according to regulation (EC) 1272/2008:

<b>Classification under CLP</b>	Flam. Liq. 3, H226 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411
<b>Most important adverse effects</b>	Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation.
<b>Ingredients of unknown toxicity</b>	unknown oral toxicity unknown dermal toxicity unknown hazards to the aquatic environment

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### 2.2 Label Elements

Label elements under CLP	
Hazard statements	H225: Highly flammable liquid and vapour. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.
Signal words	DANGER
Hazard pictograms	GHS07: Exclamation mark GHS02: Flame   
Precautionary statements	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P241: Use explosion-proof electrical/ventilating/lighting/.. equipment. P280: Wear: Protective clothing, Eye protection, protective mask, faceprotection, gloves. P302+352: IF ON SKIN: Wash with plenty of water/soap. P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312: Call a POISON CENTER or doctor if you feel unwell.
Storage	Store Locked Up
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not Applicable
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
Signal words	Danger

### 2.3 Other Hazards

Other hazards	In use, may form flammable / explosive vapour--air mixture.
PBT or vPvB	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Signal words	DANGER

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Hazardous ingredients:

#### ETHYL METHACRYLATE

Mol. Formula **C<sub>6</sub>H<sub>10</sub>O<sub>2</sub>**

EC Number	CAS Number	Chemical ID	CLP Classification	Percent
202-597-5	97-63-2	Ethyl methacrylate	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317	>75

#### HYDROXY PROPYL METHACRYLATE

Mol. Formula **C<sub>7</sub>H<sub>12</sub>O<sub>3</sub>**

EC Number	CAS Number	Chemical ID	CLP Classification	Percent
248-666-3	27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	Eye Irrit. 2: H319; Skin Sens. 1: H317	10-25

#### Hydroxyethyl methyltolylamine

Mol. Formula **C<sub>10</sub>H<sub>15</sub>NO**

EC Number	CAS Number	Chemical ID	CLP Classification	Percent
220-638-5	2842-44-6	N-(2-Hydroxyethyl)-N-methyl-p-toluidine	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315	<1

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### 2-(2H-benzotriazol-2-yl)-p-cresol

Mol. Formula C<sub>13</sub>H<sub>11</sub>N<sub>3</sub>O

EC Number	CAS Number	Chemical ID	CLP Classification	Percent
219-470-5	2440-22-4	Tinuvin P / UV-P	Flam. Liq. 3, H226 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411	≤1

### UV ABSORBER

Mol. Formula C<sub>13</sub>H<sub>11</sub>N<sub>3</sub>O

EC Number	CAS Number	Chemical ID	CLP Classification	Percent
219-470-8	2440-22-4		Not Classified	≤1

#### 4.2 Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

<b>Skin contact</b>	<p>Wash skin thoroughly with soap and water or use recognised skin cleanser.</p> <p>Remove contaminated clothing and shoes.</p> <p>Wash contaminated clothing thoroughly with water before removing it, or wear gloves.</p> <p>Continue to rinse for at least 10 minutes. Get medical attention.</p> <p>In the event of any complaints or symptoms, avoid further exposure.</p> <p>Wash clothing before reuse.</p> <p>Clean shoes thoroughly before reuse.</p> <p>Get medical attention.</p>
<b>Eye Contact</b>	<p>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.</p> <p>Check for and remove any contact lenses.</p> <p>Continue to rinse for at least 10 minutes.</p> <p>Get medical attention..</p>
<b>Inhalation</b>	<p>Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.</p> <p>It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.</p> <p>Get medical attention.</p> <p>If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.</p> <p>Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Get medical attention.</p>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

<p><b>Ingestion</b></p>	<p>Wash out mouth with water.          Remove dentures if any.          Remove victim to fresh air and keep at rest in a position comfortable for breathing.          If material has been swallowed and the exposed person is conscious, give small quantities of water to drink.          Stop if the exposed person feels sick as vomiting may be dangerous.          Do not induce vomiting unless directed to do so by medical personnel.          If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.          Get medical attention if adverse health effects persist or are severe.          Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.          Loosen tight clothing such as a collar, tie, belt or waistband.</p>
<p><b>Protection of first-aiders</b></p>	<p>No action shall be taken involving any personal risk or without suitable training.          It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.</p>

### 4.2. Most important symptoms and effects, both acute and delayed

<p><b>Skin contact</b></p>	<p>There may be irritation and redness at the site of contact.</p>
<p><b>Eye Contact</b></p>	<p>There may be irritation and redness. The eyes may water profusely.</p>
<p><b>Ingestion</b></p>	<p>There may be soreness and redness of the mouth and throat.</p>
<p><b>Inhalation</b></p>	<p>There may be irritation of the throat with a feeling of tightness in the chest.          Exposure may cause coughing or wheezing.</p>
<p><b>Delayed/ Immediate Effects</b></p>	<p>Immediate effects can be expected after short-term exposure.</p>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate special treatment	Delayed reactions can be expected when inhaled of burned product: 48 hrs med. observation.
-----------------------------	--

### 4.4. Most important symptoms and effects, both acute and delayed

Skin contact	Adverse symptoms may include the following: irritation, redness, dryness, cracking
Eye Contact	There may be irritation and redness. The eyes may water profusely.
Ingestion	There may be soreness and redness of the mouth and throat.
Inhalation	There may be irritation of the throat with a feeling of tightness in the chest. Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo
Delayed/ Immediate Effects	Delayed reactions can be expected when inhaled of burned product: 48 hrs med. observation.

### 4.5. Indication of any immediate medical attention and special treatment needed

**Notes to physician Treat symptomatically.** Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## SECTION 5: FIRE-Fighting MEASURES

### 5.1 Extinguishing Media

Extinguishing Media	polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers..
---------------------	---

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards	In combustion emits toxic fumes.
Hazards from the substance or mixture	Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back.

# NAILPERFECT<sup>TM</sup>

## P R O F E S S I O N A L   S Y S T E M S

<b>Hazardous thermal decomposition products</b>	Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, phosphorus oxides.
---	---

### 5.3 Advice for fire-fighters

<b>Advice for fire-fighters</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
<b>For non-emergency personnel</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources.

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

<p><b>For non-emergency personnel</b></p>	<p>No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.</p>
<p><b>For emergency responders</b></p>	<p>If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.</p>

### 6.2. Environmental precautions

<p><b>Environmental precautions</b></p>	<p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not discharge into waterways such as drains, lakes, rivers, ocean. Contain the spillage using bunding.</p>
---	--

### 6.3. Methods and material for containment and cleaning up

<p><b>Small spill</b></p>	<p>Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>
<p><b>Large spill</b></p>	<p>Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas.</p>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

<p><b>Large spill cont.</b></p>	<p>Wash spillages into an effluent treatment plant or proceed as follows.            Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.            Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.</p>
---------------------------------	--

### 6.4. Reference to other sections

<p><b>Reference to other sections</b></p>	<p>See Section 1 for emergency contact information.            See Section 8 for information on appropriate personal protective equipment.            See Section 13 for additional waste treatment information.</p>
---	--

## SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

<p><b>Handling requirements</b></p>	<p>Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space.            Avoid the formation or spread of mists in the air.</p>
<p><b>Protective measures</b></p>	<p>Put on appropriate personal protective equipment (see Section 8).            Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.            Do not get in eyes or on skin or clothing.            Do not ingest.            Avoid breathing vapour or mist.            Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.</p>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

<p><b>Protective measures cont.</b></p>	<p>Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.            Store and use away from heat, sparks, open flame or any other ignition source.            Use explosion-proof electrical (ventilating, lighting and material handling) equipment.            Use non-sparking tools.            Take precautionary measures against electro-static discharges.            To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material.            Empty containers retain product residue and can be hazardous.            Do not reuse container.</p>
<p><b>Advice on general occupational hygiene</b></p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.            Workers should wash hands and face before eating, drinking and smoking.            Remove contaminated clothing and protective equipment before entering eating areas.            See also Section 8 for additional information on hygiene measures.</p>

### 7.2. Conditions for safe storage, including any incompatibilities

<p><b>Storage conditions: Temperature</b></p>	<p>Do not store above the following temperature: 26°C.</p>
<p><b>Storage conditions: Exposure</b></p>	<p>Keep away from ignition sources, fire, no smoking, no static or electronic build ups, keep away from electrical equipment, no open fires.</p>
<p><b>Storage conditions: Dangerous reaction</b></p>	<p>Eliminate all ignition sources. Separate from oxidizing materials.</p>
<p><b>Storage conditions: Packaging and Labeling</b></p>	<p>Keep container tightly closed and sealed until ready for use.            Containers that have been opened must be carefully resealed and kept upright to prevent leakage.            Do not store in unlabelled containers.</p>
<p><b>Storage conditions: Regulations</b></p>	<p>Store in accordance with local regulations.</p>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### Seveso II Directive - Reporting thresholds (in tonnes)

Category	Notification and MAPP threshold	Safety report threshold
P5c: Flammable liquids 2 and 3 not falling under P5a or P5b C7b: Highly flammable (R11)	No Data	No Data

### 7.3. Specific end use(s)

Specific end use(s)	Nail Art, Manicure, Pedicure; Professional Use Only!
---------------------	--

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Hazardous ingredients

### 8.1. Workplace Exposure limits

Exposure Limits	No exposure limit value known.
-----------------	--------------------------------

Recommendation

Recommended monitoring procedures	<p>If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents).</p>
-----------------------------------	--

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### 8.2. Exposure controls

<b>Engineering measures</b>	<p>Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.</p> 
<b>Respiratory protection</b>	<p>Self-contained breathing apparatus must be available in case of emergency. ALWAYS use protective mask.</p> 
<b>Hand protection</b>	<p>ALWAYS use protective gloves.</p> 
<b>Eye protection</b>	<p>ALWAYS use safety glasses. Ensure eye bath is to hand.</p> 
<b>Protection of face</b>	<p>Use Protective masks</p> 
<b>General Theft Protection</b>	<p>Keep the products locked up when not in use to prevent theft. Keep out of reach of children.</p> 

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### EXPLANATORY DESCRIPTION

<b>General Hygiene Measures</b>	<p>Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.</p> <p>Appropriate techniques should be used to re-move potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace.</p> <p>Wash contaminated clothing before reusing.</p> <p>Ensure that eyewash stations and safety showers are close to the workstation location.</p>
<b>Hand protection</b>	<p>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.</p> <p>Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.</p> <p>It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.</p> <p>In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.</p>
<b>Body protection</b>	<p>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</p> <p>When there is a risk of ignition from static electricity, wear anti-static protective clothing.</p> <p>For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.</p> <p>Refer to European Standard EN 1149 for further information on material and design requirements and test methods.</p>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

<b>Other skin protection</b>	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Eye/face protection</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
<b>Respiratory protection</b>	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
<b>Environmental exposure controls</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

State	Liquid
Colour	Light to dark purple, or dark blue-ish
Odor	Characteristic odor. Acrylate odor.
Flash point°C	>16.0
Boiling point °C	200
Upper/lower flammability or explosive limits	Not available.
Evaporation rate	Fast
Vapour density	Not available.
Relative density	0.96
Solubility(ies)	slightly soluble in water.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available
Viscosity	Non-viscous

#### 9.2. Other information

Other information	No data available.
-------------------	--------------------

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1.Reactivity

Reactivity	Stable under recommended conditions
------------	-------------------------------------

#### 10.2. Chemical stability

Chemical stability	Stable under normal conditions. Stable at room temperature.
--------------------	---

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.
------------------------------------	---

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### 10.4. Conditions to avoid

Conditions to avoid	Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.
---------------------	---

### 10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong acids.
--------------------	--

### 10.6. Hazardous decomposition products

Reactivity	In combustion emits toxic fumes. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
------------	---

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1..Information on toxicological effects

Hazardous ingredients

#### ETHYL METHACRYLATE

ORL	RAT	LD50	7836 mg/kg
ORL	RAT	LD50	12700 mg/kg

#### HYDROXY PROPYL METHACRYLATE

ORL	RAT	LD50	11200 mg/kg
-----	-----	------	-------------

#### HYDROXYETHYL METHYLTOLYLAMINE

DER	RAT	LD50	>2000 mg/kg
-----	-----	------	-------------

#### 2-(2H-BENZOTRIAZOL-2-YL)-P- CRESOL

IPR	RAT	LD50	10000 mg/kg
-----	-----	------	-------------

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

Relevant hazards for substance:

Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

### 11.2.Symptoms / routes of exposure

<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction. Adverse symptoms may include the following: redness irritation
<b>Eye contact</b>	Causes serious eye irritation. Adverse symptoms may include the following: pain or irritation watering redness
<b>Ingestion</b>	No known significant effects or critical hazards.
<b>Inhalation</b>	May cause respiratory irritation. No specific data.
<b>Delayed / immediate effects: General</b>	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.
<b>Delayed / immediate effects: Carcinogenicity</b>	No known significant effects or critical hazards.
<b>Delayed / immediate effects: Mutagenicity</b>	No known significant effects or critical hazards.
<b>Delayed / immediate effects: Teratogenicity</b>	No known significant effects or critical hazards.
<b>Delayed / immediate effects: Developmental effects</b>	No known significant effects or critical hazards.
<b>Delayed / immediate effects: Fertility effects</b>	No known significant effects or critical hazards.

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Information on possible bio-toxicity per ingredient can be found on the website of the European Chemical Agency at [www.echa.com](http://www.echa.com), under the relevant inci name, ec number or cas number.

#### 12.2. Persistence and degradability

Persistence and degradability	No data available
-------------------------------	-------------------

#### 12.3. Bioaccumulative potential

Information on possible bioaccumulative potential per ingredient can be found on the website of the European Chemical Agency at [www.echa.com](http://www.echa.com), under the relevant inci name, ec number or cas number.

#### 12.4. Mobility in soil

Soil/water partition coefficient (KOC)	Not available.
Mobility	Readily absorbed into soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification	This product is not identified as a PBT substance.
vPvB identification	This product is not identified as a vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects	Harmful to aquatic organisms.
-----------------------	-------------------------------

# NAILPERFECT<sup>TM</sup>

## P R O F E S S I O N A L   S Y S T E M S

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

<p><b>Disposal operations</b></p>	<p>The generation of waste should be avoided or minimised wherever possible.</p> <p>Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.</p> <p>Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.</p>
<p><b>Hazardous waste</b></p>	<p>The classification of the product may meet the criteria for a hazardous waste.</p>
<p><b>Hazardous waste</b></p>	<p>The generation of waste should be avoided or minimised wherever possible. Wastepackaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</p>
<p><b>Special precautions</b></p>	<p>This material and its container must be disposed of in a safe way.</p> <p>Care should be taken when handling emptied containers that have not been cleaned or rinsed out.</p> <p>Empty containers or liners may retain some product residues.</p> <p>Vapor from product residues may create a highly flammable or explosive atmosphere inside the container.</p> <p>Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally.</p> <p>Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.</p>

# NAILPERFECT<sup>TM</sup>

## P R O F E S S I O N A L   S Y S T E M S

### SECTION 14: TRANSPORT INFORMATION

	ADR/RID	ADN	IMDG	IATA
<b>14.1</b> UN number	UN1993	UN1993	UN1993	UN1993
<b>14.2</b> UN proper shipping name	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
<b>14.3</b> Transport hazard class(es)	3 	3 	3 	3 
<b>14.4</b> Packing group	III	III	III	III
<b>14.5</b> Environmental hazards	No.	No.	No.	No.
<b>Additional information</b>	-	-	-	-

#### 114.6. Special precautions for user

<b>Special precautions</b>	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
----------------------------	--

#### 114.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

<b>Special precautions</b>	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
----------------------------	--

# **NAILPERFECT**<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### **SECTION 15: TRANSPORT INFORMATION**

**15.1. Safety, health and environmental regulation/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation**

<b>Annex XIV</b>	None of the components are listed.
<b>Substances of very high concern</b>	None of the components are listed.
<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	Not applicable.
<b>Other EU regulations</b> Europe inventory	All components are listed or exempted.
<b>Seveso II Directive</b>	Not applicable.
<b>Danger criteria : Category</b>	Not applicable.
<b>15.2 Chemical Safety Assessment</b>	Unknown

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

### SECTION 16: OTHER INFORMATION

Other information:

<b>Other information</b>	This safety data sheet is prepared in accordance with Regulation (EC) No 453/2010 * Indicates text in the SDS which has changed since the last revision
<b>Phrases used in s.2 and 3</b>	H225: Highly flammable liquid and vapor. H226: Flammable liquid and vapor. H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H332: Harmful if inhaled. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects
<b>Abbreviations and acronyms</b>	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

<p>Acute Tox. 4          Aquatic Chronic 1          Aquatic Chronic 2          Eye Irrit. 2          Flam. Liq. 2          Flam. Liq. 3          Skin Irrit. 2          Skin Sens. 1          STOT SE 3</p>	<p>ACUTE TOXICITY - Category 4          AQUATIC HAZARD (LONG-TERM) - Category 1          AQUATIC HAZARD (LONG-TERM) - Category 2          SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2          2 FLAMMABLE LIQUIDS - Category 2          FLAMMABLE LIQUIDS - Category 3          SKIN CORROSION/IRRITATION - Category 2          SKIN SENSITIZATION - Category 1          SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 3</p>
<p><b>Phrases used in s.2 and 3</b></p>	<p>EUH066: Repeated exposure may cause skin dryness or cracking.          H315: Causes skin irritation.          H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.          H336: May cause drowsiness or dizziness. H400: Very toxic to aquatic life.          H410: Very toxic to aquatic life with long lasting effects.          H412: Harmful to aquatic life with long lasting effects.          R10: Flammable.          R11: Highly flammable          R36/38: Irritating to eyes and skin.</p>
<p>Flam. Liq. 3, H226          Acute Tox. 4, H332          Skin Irrit. 2, H315          Eye Irrit. 2, H319          Skin Sens. 1, H317          STOT SE 3, H335          Aquatic Chronic 2, H411</p>	<p>On basis of test data          Calculation method          Calculation method          Calculation method          Calculation method          Calculation method          Calculation method</p>

<p><b>Legal disclaimer</b></p>	<p>The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above pro-duct.</p>
--------------------------------	--

# NAILPERFECT<sup>TM</sup>

## P R O F E S S I O N A L   S Y S T E M S

\*\*\*\*\*

The contents and format of this SDS are in accordance with REgulation (EC) No. 1907/2006, 1272/2008 and Regulation (EU) No. 2015/830

**DISCLAIMER OF LIABILITY:**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methos of handling, storage, use or disposal of the product are beyond our control and may be behound our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*\*\*\*\*

### Abbreviations and acronyms

**COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.**

°C	Degrees in Centigrade
°F	Degrees in Farenheit
ADR	Accord European sur le transport des marchan-dises dangereuse par Route (European Agree-ment concerning the International
ATE	Acute Toxicity Estimate
CAS Number	Chemical Abstract Service - Registry number. Identification number for a specific substance.
CLP	Classification, Labelling and Packaging Regula-tion [Regulation (EC) No. 1272/2008
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC Number	Enzyme Commission Number. Numerical clas-sification for enzymes. Specific number.
EC25	Effect Concentration e.g. EC25 - is at 25%
IMDG	International Maritime Code for Dangerous Goods.
IATA	Internatinal Air Transport Association
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LC50	The concentration of a material in air which, on the basis of laboratory tests, is expected to kill 50% of a group
LOEC	Lowest concentration where an effect has been observed in chronic ecotoxicity studies

# NAILPERFECT<sup>TM</sup>

## P R O F E S S I O N A L   S Y S T E M S

### COMMON ABRIVIATIONS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET.

Log Pow	A product's ability to bioaccumulate through the food chain
mg/L	Miligrams per Liter
MSDS	Material Safety Data Sheet
N/E	Not Explored - No data available.
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
RRN	REACH Registration Number
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No Effect Concentration
SDS	Safety Data Sheet
SVHC	Substance of Very High Concern
EUH statement	CLP-specific Hazard statement
vPvB	Very Persistent and Very Bioaccumulative

Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H336 (Narcotic effects) Aquatic Chronic 3, H412	Calculation method Calculation method Calculation method Calculation method
---	--

**The following page contains explanation of abriviative warnings which may or may not be of concern to this SDS. See section 2 and 3 to determine if these warnings are applicable to this product!**

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

**COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET:  
See section 2 and 3 which are applicable to this product.**

H220:	Extremely flammable gas
H225:	Highly flammable liquid and vapour
H226:	Flammable liquid and vapour
H241:	Heating may cause a fire or explosion
H242:	Heating may cause a fire
H302:	Harmful if swallowed.
H312:	Harmful in contact with skin or if inhaled
H313:	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315:	Causes skin irritation.
H316:	Causes mild skin irritation
H317:	May cause an allergic skin reaction.
H318:	Causes serious eye damage.
H319:	Causes serious eye irritation.
H330	Fatal if inhaled
H332:	Harmful if inhaled
H334:	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335:	May cause respiratory irritation.
H336:	May cause respiratory irritation
H340:	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H341:	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H350:	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H351:	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H361f:	Suspected of damaging fertility.
H370:	Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

**COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.**

Acute Tox. 1	ACUTE TOXIDITY - Category 1 <i>Fatal if Inhaled</i>
Acute Tox. 2	ACUTE TOXIDITY - Category 2 <i>Fatal if Inhaled</i>
Acute Tox. 3	ACUTE TOXIDITY - Category 3 <i>Toxic if inhaled</i>
Acute Tox. 4	ACUTE TOXIDITY - Category 4 <i>Harmful if inhaled</i>
Aq.Chron. 1	LONG-TERM AQUATIC HAZARD - Category 1
Aq.Chron. 2	LONG-TERM AQUATIC HAZARD - Category 2
Aq.Chron. 3	LONG-TERM AQUATIC HAZARD - Category 3
Carc. 1A	CARCINOGEN - Category 1 <i>Known to have carcinogen potential for humans</i>
Carc. 1B	CARCINOGEN - Category 1 <i>Presumed to have carcinogen potential for humans</i>
Carc. 2	CARCINOGEN - Category 2 <i>Limited evidence from studies</i>
Eye Dam. 1	SERIOUS EYE DAMAGE - Category 1 <i>Irreversible effects on the eye</i>
Eye Irrit. 2	SERIOUS EYE IRRITATION - Category 2 <i>Irritating to eyes. Fully reversible normally in 21 days or less.</i>
Eye Irrit. 2B	EYE IRRITATION - Category 2B <i>Mildly irritating to eyes. Fully reversible in 7 days.</i>
Flam. Liq. 1	FLAMMABLE LIQUIDS - Category 1 <i>Flashpoint &lt;23°C (73.4°F) and initial boiling point &lt;35°C (95°F)</i>
Flam. Liq. 2	FLAMMABLE LIQUIDS - Category 2 <i>(Flashpoint &lt;23°C (73.4°F) and initial boiling point &gt;35°C (95°F))</i>
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 1 <i>Flashpoint &gt;23°C (73.4°F) and initial boiling point &lt;60°C (140°F)</i>
Muta. 1A	MUTATION OF CELLS - Category 1 <i>Known to induce heritable mutations in germ cells of humans</i>

# NAIL PERFECT<sup>TM</sup>

## P R O F E S S I O N A L   S Y S T E M S

<b>COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.</b>	
H371:	May cause damage to organs (or state all or-gans affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H372:	Causes damage to organs ( state all organs af-fected, if known) through prolonged or repeated exposure (state route of exposure if it is conclu-sively proven that no other routes of exposure cause the hazard)
H373:	May cause damage to organs ( state all or-gans affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H400:	Very toxic to aquatic life.
H410:	Very toxic to aquatic life with long lasting ef-fects.
H411:	Toxic to aquatic life with long lasting effects
H412:	Harmful to aquatic life with long lasting effects.
H413:	May cause long lasting harmful effects to aqua-tic life
EUH066:	Repeated exposure may cause skin dryness or cracking.
For Professional Use Only	Shoudl be used by professionally trained per-sonell only. Specific training for this product needed.

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

**COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.**

Muta. 1B	MUTATION OF CELLS - Category 1 <i>Regarded as if induce heritable mutations in germ cells of humans</i>
Muta. 1B	MUTATION OF CELLS - Category 2 <i>Causes concern for the possibility of causing heritable mutations in germ cells of humans</i>
Rep. 2	REPRODUCTIVE TOXIDITY - Category 2 <i>Evidence from human studies is limited. May spread through breastfeeding</i>
Resp. Sens. 1A	RESPIRATORY SENSITIZATION - Category 1 <i>Evidence in Humans that the substance can induce respiratory hypersensitivity</i>
Resp. Sens 1B	RESPIRATORY SENSITIZATION - Category 1 <i>Suspected that the substance can induce respi-ratory hypersensitivity</i>
Skin Corr. 1	SKIN CORROSION - Category 1 <i>Irreversible effects on the skin</i>
Skin Corr. 1A	SKIN CORROSION - Category 1A <i>Irreversible effects on the skin in less than 3 minutes exposure</i>
Skin Corr. 1B	SKIN CORROSION - Category 1B <i>Irreversible effects on the skin in 3 minutes - 60 minutes exposure</i>
Skin Irrit. 2	SKIN IRRITATION - Category 2 <i>Causes reversible skin irritation effects. Reco-very within 21 days to be expected.</i>
Skin Sens. 1	SKIN SENSITIZATION - Category 1 <i>Causing significant sensitization in humans when on skin</i>
Skin Sens. 1A	SKIN SENSITIZATION - Category 1 <i>Causing significant sensitization in humans when on skin</i>
Skin Sens. 1B	SKIN SENSITIZATION - Category 1 <i>Low to moderate fequency of causing signifi-cant sensitization in humans</i>
Skin Sens. 2	SKIN SENSITIZATION - Category 2 <i>Low chance of skin sensitization in humans</i>

# NAILPERFECT<sup>TM</sup>

## PROFESSIONAL SYSTEMS

**COMMON WARNINGS WHICH MAY OR MAY NOT BE USED IN THIS MSDS SHEET: See section 2 and 3 which are applicable to this product.**

STOT SE 1	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 1 <i>Potential to produce significant toxicity in hu-mans following a single exposure.</i>
STOT SE 2	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 2 <i>Potential to be harmful in human health after a single exposure.</i>
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SIN-GLE EXPOSURE) - Category 3 <i>Potential to cause narcotic effects (dizziness, drowsiness) and respiratory tract irritation (sore throat, caught). These effects are temporary/ not long term.</i>
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY (RE-PEATED EXPOSURE) - Category 2 <i>Potential to be harmful in human health after a repeated exposures.</i>

\*\*\*\*\*

End of safety data sheet